

## CURRICULUM VITAE

<b>Name:</b>	<b>Bruce Preston Finney</b>
<b>Address:</b>	Departments of Biological Sciences and Geosciences Idaho State University Pocatello, ID 83209-8007, USA
<b>Telephone:</b>	(208) 282-4318
<b>E-mail:</b>	finney@isu.edu
<b>Education:</b>	
1987	Ph.D. Geological Oceanography, Oregon State University, Corvallis
1979	B.S. Geology (with honors), University of Minnesota, Minneapolis
<b>Professional Experience:</b>	
2007 - present	Idaho State University, Departments of Biological Sciences and Geosciences (joint appointment)
2011 - present	Assistant Director of the Center for Archeological Materials and Applied Spectroscopy (CAMS)
2007 - present	Director of the Idaho State University Interdisciplinary Laboratory for Stable Isotopic Analysis
2007 - present	Professor
2012	Moss Landing Marine Laboratories Visiting Scientist
1991 - 2007	University of Alaska Fairbanks, Institute of Marine Science
2002 - 2007	Professor
2004 - 2006	Graduate Program Head, Marine Science and Limnology
1998 - 2002	Associate Professor
1991 - 1998	Assistant Professor
2004 - 2005	University of Minnesota, Geology Department, Limnological Research Center Visiting Faculty
1989 - 1991	Duke University, Marine Laboratory Research Associate
1980 - 1988	Oregon State University, College of Oceanic and Atmospheric Sciences
1987 - 1988	Research Associate, Marine Chemistry
1980 - 1986	Research Assistant, Geological Oceanography
1979	Minnesota Department of Natural Resources Limnological field worker
<b>Leadership and Distinctions:</b>	
2013	Distinguished Researcher award from Idaho State University (the Distinguished Faculty award, given once annually, is the highest honor bestowed on faculty at Idaho State University)

2012	Outstanding Researcher award from Idaho State University
2011 - present	Assistant Director of the Center for Archeological Materials and Applied Spectroscopy (CAMS)
2007 - present	Director of the Idaho State University Interdisciplinary Laboratory for Stable Isotopic Analysis
2005 - present	Co-proponent of Leg 341 "Southern Alaskan Margin Tectonics, Climate and Sedimentation" for the Integrated Ocean Drilling Program (IODP) of NSF, to begin May 2013
2004 - 2006	Selected as Program Head, Graduate Program in Marine Science and Limnology, UAF
2005	Selected for funding (\$2.4 M) by the Gordon and Betty Moore Foundation's Wild Salmon Ecosystems Initiative.
2005	Research highlighted in National Research Council Report "The Geological Record of Ecological Dynamics" (p. 50).
2003 - 2004	Visiting faculty, Geology Department and Limnological Research Center University of Minnesota
2001	Merit Award from the Dean, School of Fisheries and Ocean Sciences, UAF for valuable contributions to the School, and research of distinction
1999	Citation for the Most Significant Paper, American Fisheries Society
1998 - 2004	Elected member of science steering committee, NSF Arctic Paleoenvironmental Science Program
1999	Keynote speaker North Pacific Anadromous Fish Commission Annual meeting: A long-term perspective on climate and marine ecosystems in the northeast Pacific
1998 - present	Invited presentations – 18 invited presentations at national and international meetings since 1998, including AMQUA, GSA, AGU and the American Fisheries Society.
1998 - present	Media coverage of research: New York Times, LA Times, Seattle Times, National Post (Canada), Anchorage Dailey News (front page), Discover Magazine, Geotimes, BBC Science Magazine, Oregon Public Radio, CBC Radio Canada, CNN.com, ABCnews.com, MSNBC.com, USAToday.com, National Geographic.com, Idaho State Journal, etc.

#### **Teaching and Educational Activities:**

2009 – present	Developed and taught graduate class: Paleoecology and Paleoclimatology of Western North America/North Pacific Region
2008 – present	Developed and taught graduate class (including lab section): Stable Isotopes in Environmental Science
2004 – 2006	Head of the Graduate Program in Marine Science and Limnology, School of Fisheries and Ocean Sciences (SFOS), University of Alaska Fairbanks (UAF)
2004	Chaired "Student Outcomes Assessment" report to assess program success
2000	Committee member, program accreditation review (successful)
2005 - 2007	Chaired graduate program comprehensive examination committee
1992 - 2005	Graduate program comprehensive examination committee member
1991 - 2007	Taught or co-taught core graduate curriculum in geological oceanography, including <i>Geological Oceanography, Paleoceanography/Paleoclimatology</i>
1992 - present	Chaired/Co-chaired 5 Ph.D. committees
1991 - present	Chaired/Co-chaired 12 M.S. committees

1991 - present	Served as an active member of numerous (29) graduate committees
2005	Taught undergraduate course <i>Introduction to Oceanography</i>
1996	Co-developed and taught interdisciplinary undergraduate course <i>Ice Ages and Global Change</i> (UAF)
1993 - present	Provided advising, mentoring and education for undergraduate students via research grants, through NSF-Research Experience for Undergraduates Program, and UAF undergraduate research initiatives. Consistent with university initiatives, created opportunities for members of underrepresented groups (e.g., women and ethnic minorities).
2000 - 2005	Provided K-12 education and mentoring via advising high school student science fair projects, judging middle school science fairs, and leading high school science field trips.

### **Research Projects (current and recent):**

#### **National Science Foundation (NSF)**

\$1,650,000	(Biocomplexity) The Kuril Biocomplexity Project: Dynamics of Long Term Change in Subarctic Seas (B. Fitzhugh, Univ. Washington, PI). (Finney component \$220,000).
\$2,000,000	(Polar Programs, Arctic System Science) Collaborative research: Nonlinearities in the Arctic climate system during the Holocene (M. Abbott, U. Pitt., R. Bradley, U. Mass., J. Briner, SUNY Buffalo, F.S. Hu, U. Illinois, D. Kaufman, U. No. Arizona, M. Loso, Alaska Pacific U., G. Miller, U. Colorado, M. Wooller, U. Alaska Fairbanks, Z. Yu, Lehigh U.) (Finney component \$137,000).
\$368,639	(Biological Oceanography) Collaborative Research: Establishing baselines for nearshore marine ecosystems by examining sea otter trophic variation over 5,000 years of climatic and anthropogenic change (N. Misarti, Oregon State Univ., co-PI) (Finney component \$99,923).
\$199,791	(TUES: Transforming Undergraduate Education in Science) Early integration of research experiences into the undergraduate biology curriculum. (J. Hill, ISU, PI).
\$249,213	(Archeometry) Improving access to coordinated archaeometric services, method development and post-analysis data validation and interpretation. (co-PI with John Dudgeon, ISU Anthropology).
\$440,000	(Arctic Social Sciences) Collaborative Research: Exploring the abundance and use of anadromous salmon through stable isotope, zooarchaeological, and ancient DNA analyses in central Alaska (B. Potter, C. Halfman, U. Alaska Fairbanks). (Finney component \$132,757).

#### **Gordon and Betty Moore Foundation**

\$2,397,000	A long-term perspective on salmon populations throughout the North Pacific Ocean (D. Schindler, Univ. Washington, P. Leavitt, Univ. Regina, I. Gregory-Eaves, McGill Univ., co-PIs)
-------------	---

#### **U.S. Geological Survey**

\$184,000	Effects of climate change on the Yukon River Basin: Changes in water and implications for wildlife habitat, human subsistence, and climate regulation. (L. Anderson, U.S.G.S. direct collaborator; Project has 20 co-PIs and \$10,800,000 budget over 5 years).
-----------	---

\$95,000      Understanding the long-term dynamics between climate, water and carbon in northeast Alaska.

**Alaska Sea Grant**

\$86,100      Long-term records of abundance and effects of large-scale climate change on Alaska Peninsula sockeye salmon

**Significant Publications:**

- 2015 Early human use of anadromous salmon in North America at 11,500 y ago. Halfman, C.M., Potter, B.A., McKinney, H.J., Finney, B.P., Rodrigues, A.T., Yang, D. and Kemp, B.M. *Proceedings of the National Academy of Sciences* **112**: 12344-12348.
- 2013 Centennial-scale fluctuations and regional complexity characterize Pacific salmon population dynamics over the last five centuries. Rogers, L.A., Schindler, D.E., Lisi, P.J., Holtgrieve, G.W., Leavitt, P.R., Bunting, L., Finney, B.P., Selbie, D.T., Chen, G., Gregory-Eaves, I., Lisac, M.J. and Walsh, P.B. *Proceedings of the National Academy of Sciences* **110**: 1750–1755.
- 2012 1500-year quantitative reconstruction of winter precipitation in the Pacific Northwest. Steinman, B.A., Abbott, M.B., Mann, M.E., Stansell, N.D. and Finney, B.P. *Proceedings of the National Academy of Sciences* **109**: 11619-11623.
- 2011 A coherent signature of anthropogenic nitrogen deposition to remote watersheds of the Northern Hemisphere. Holtgrieve, G.W., Schindler, D.E., Hobbs, W.O., Leavitt, P.R., Ward, E.J., Bunting, L., Chen, G., Finney, B.P., Gregory-Eaves, I., Holmgren, S., Lisac, M.J., Lisi, P.J., Nydick, K., Rogers, L.A., Saros, J.E., Selbie, D.T., Shapley, M.D., Walsh, P.B., and Wolfe, A.P. *Science* **334**: 1545-1548.
- Drought variability in the Pacific Northwest from a 6,000-yr lake sediment record. Nelson, D.B., Abbott, M.B., Steinman, B., Polissar, P.J., Stansell, N., Ortiz, J.D., Rosenmeier, M.F., Finney, B. and Riedel, J. *Proceedings of the National Academy of Sciences* **108**: 3870-3875.
- 2003 Delivery of pollutants by spawning salmon. Krummel, E., Macdonald, R., Kimpe, L., Gregory-Eaves, I., Demers, M.J., Smol, J.P., Finney, B. and Blais, J.M. *Nature* **425**: 255-256.
- 2002 Fisheries productivity in the northeastern Pacific Ocean over the past 2,200 years. Finney, B.P., Gregory-Eaves, I., Douglas, M.S.V. and Smol, J.P. *Nature* **416**: 729-733.
- 2000 Impacts of Climatic Change and Fishing on Pacific Salmon Abundance Over the Past 300 Years. Finney, B.P., Gregory-Eaves, I., Sweetman, J., Douglas, M.S.V. and Smol, J. *Science* **290**: 795-799.
- 2000 Reduced growth in Alaskan white spruce from 20<sup>th</sup> century temperature-induced drought stress. Barber, V.A., Juday, G.P. and Finney, B.P. *Nature* **405**: 668-673.

- 1997 Arctic Environmental Change of the Last Four Centuries. Overpeck, J., Hughen, K., Hardy, D., Bradley, R., Case, R., Douglas, M., Finney, B., Gajewski, K., Jacoby, G., Jennings, A., Lamoureux, S., MacDonald, G., Moore, J., Retelle, M., Smith, S., Wolfe, A. and Zielinski, G. *Science* **278**: 1251-1256.

**Publications:**

- 2018 Millennial-scale decline in coho salmon abundance since the middle Holocene in a coastal Oregon watershed, USA. Gavin, D.G., Kusler, J.E., Finney, B.P. *Quaternary Research* **89**: 432-445.

Sockeye salmon population dynamics over the past 4000 years in Upper Russian Lake, south-central Alaska. McCarthy, M.D., Rinella, D.J., and Finney, B.P. *Journal of Paleolimnology* doi.org/10.1007/s10933-018-0024-1.

Millennial-scale variability in Holocene aquatic productivity from Burial Lake, Arctic Alaska. Finkenbinder, M.S., Abbott, M.B., Stoner, J.S., Ortiz, J.D., Finney, B.P., Dorfman, J.M., and Stansell, N.D. *Quaternary Science Reviews* **187**: 220-234.

A Holocene record of ocean productivity and upwelling from the northern California continental slope. Addison, J.A., Barron, J., Finney, B., Kusler, J., Bukry, D., Heusser, L.E., and Alexander, C.R. *Quaternary International* **469**: 96-108.

Lake levels in a discontinuous permafrost landscape: Late Holocene variations inferred from sediment oxygen isotopes, Yukon Flats, Alaska. Anderson, L., Finney, B.P. and Shapley, M.D. *Arctic, Antarctic, and Alpine Research* **50** (1): doi.org/10.1080/15230430.2018.1496565

Multi-proxy lake sediment records of late Quaternary climate and environmental change in the Pacific Northwest. Steinman, B.A., Nelson, D.B., Abbott, M.B., Stansell, N.D., Finkenbinder, M.S., Finney, B.P. *Quaternary Science Reviews*, in press.

Vegetation and precipitation shifts interact to alter organic and inorganic carbon storage in desert soils. Huber, D.P., Lohse, K.A., Commendador, A., Joy, S., Aho, K., Finney, B. and Germino, M.J. *Ecosphere*, accepted.

- 2017 Compound-Specific Amino Acid  $\delta^{15}\text{N}$  Values in Archaeological Shell: A New Approach to Evaluating Diagenetic Integrity and Baseline Stable Isotope Values. Misarti, N., Gier, E., Finney, B., Barnes, K., McCarthy, M. *Rapid Communications in Mass Spectrometry* **31**:1881–1891.

The fate of marine-derived nutrients: tracing  $\delta^{13}\text{C}$  and  $\delta^{15}\text{N}$  through oligotrophic freshwater and linked riparian ecosystems following salmon carcass analog additions. Richardson, D.P., Kohler, A.E., Hailemichael, M. and Finney, B.P. *Canadian Journal of Fisheries and Aquatic Sciences* **74**: 41-55.

Late Holocene Indian summer monsoon variability revealed from a 3,300-year-long lake sediment record from Nir'pa Co, southeastern Tibet. Bird, B.W., Lei, Y., Perello, M., Polissar, P.J., Yao, T., Finney, B., Bain, D., Pompeani, D. and Thompson, L.G. *The Holocene* **27**: 541–552.

Holocene environments of Iturup Island, southern Kuril Archipelago, Russian Far East. Lozhkin, A., Minyuk, P., Cherepanova, M., Anderson, P. and Finney, B. *Quaternary Research* **88**: 23–38.

Evaluating evidence for historic anadromous salmon runs in Eklutna Lake, Alaska. Loso, M., Finney, B., Johnson, R., Sinnott, R. *Arctic* **70**: 259 – 272.

2016 Lake oxygen isotopes as recorders of North American Rocky Mountain hydroclimate: Holocene patterns and variability at multi-decadal to millennial time scales. Anderson, L., Berkelhammer, M., Barron, J., Steinman, B.A., Finney, B.P., Abbott, M.B. *Global and Planetary Change* **137**: 131–148.

High-resolution records detect human-caused changes to the boreal forest wildfire regime in Interior Alaska. Gaglioti, B.V., Mann, D.H., Jones, B.M., Wooller, M.J., and Finney, B.P. *The Holocene* **26**: 1064-1074.

Holocene environmental change in the eastern Snake River Plain, Idaho USA, as inferred from stable isotope analyses of small mammals. Commendador, A.S. and Finney, B.P. *Quaternary Research* **85**: 358-370.

Maternal exposure to Carbamazepine at environmental concentrations can cross intestinal and placental barriers. Kaushik, G., Huber, D.P., Aho, K. Finney, B., Bearden, S., Zarbalis, K.S., Thomas, M.A. *Biochemical and Biophysical Research Communications* **474(2)**: 291-295.

2015 Macrophyte biomass predicts food chain length in shallow lakes. Ziegler, J.P., Solomon, C.T., Finney, B.P and Gregory-Eaves, I. *Ecosphere* **6:1**, art5, doi.org/10.1890/ES14-00158.1.

Lake morphometry controls the remobilization and long-term geochemical imprint of distal tephra deposition. Shapley, M.S. and Finney, B.P. *Journal of Paleolimnology* **53**: 309–320.

A multi-proxy reconstruction of environmental change spanning the last 37,000 years from Burial Lake, Arctic Alaska. Finkenbinder, M.S., Abbott, M.B., Finney, B.F., Stoner, J.S. and Dorfman, J.M. *Quaternary Science Reviews* **126**: 227-241.

Early human use of anadromous salmon in North America at 11,500 y ago. Halfmann, C.M., Potter, B.A., McKinney, H.J., Finney, B.P., Rodrigues, A.T., Yang, D. and Kemp, B.M. *Proceedings of the National Academy of Sciences* **112**: 12344-12348.

A multiproxy record of Holocene environmental changes from the northern Kuril Islands (Russian Far East). Anderson, P., Minyuk, P., Lozhkin, A., Cherepanova, M., Borkhodoev, V. and Finney, B. *Journal of Paleolimnology* **54**: 379–393.

- 2014 Radiocarbon dating human skeletal material on Rapa Nui: Evaluating the effect of uncertainty in marine-derived carbon. Commendador, A.S., Dudgeon, J.V., Fuller, B.T. and Finney, B.P. *Radiocarbon* **56**: 277–294.

Ocean-atmosphere forcing of centennial hydroclimate variability in the Pacific Northwest. Steinman, B.A., Abbott, M.B., Mann, M.E., Ortiz, J.D., Feng, S., Pompeani, D.P., Stansell, N.D., Anderson, L., Finney, B.P., Bird, B.W. *Geophysical Research Letters* **41** (7): 2553–2560; doi: 10.1002/2014GL059499.

Holocene sea surface temperature and sea ice extent in the Okhotsk and Bering Seas. Harada, N., Katsuki, K., Nakagawa, M., Matsumoto, A., Seki, O., Addison, J.A. Finney, B.P., Sato, M. *Progress in Oceanography* **126**: 242–253.

A 31,000 Year Record of Paleoenvironmental and Lake-Level Change from Harding Lake, Alaska, USA. Finkenbinder, M.S., Abbott, M.B., Edwards, M.E., Langdon, C.T., Steinman, B.A., Finney, B.P. *Quaternary Science Reviews* **87**: 98–113.

A Tibetan lake sediment record of Holocene Indian summer monsoon variability. Bird, B.W., Polisar, P.J., Lei, Y., Thompson, L.G., Yao, T., Finney, B.P., Bain, D.J., Pompeani, D.P. and Steinman, B.A. *Earth and Planetary Science Letters* **399**: 92–102.

Sediment size fractionation and focusing in the Equatorial Pacific: Effect on  $^{230}\text{Th}$  normalization and paleoflux measurements. Lyle, M., Marcantonio, F., Moore, W.S., Murray, R.W., Huh, C.A., Finney, B.P., Murray, D.W., Mix, A.C. *Paleoceanography* **29**: 747–763.

- 2013 Centennial-scale fluctuations and regional complexity characterize Pacific salmon population dynamics over the last five centuries. Rogers, L.A., Schindler, D.E., Lisi, P.J., Holtgrieve, G.W., Leavitt, P.R., Bunting, L., Finney, B.P., Selbie, D.T., Chen, G., Gregory-Eaves, I., Lisac, M.J. and Walsh, P.B. *Proceedings of the National Academy of Sciences* **110**: 1750–1755.

Isotopic and hydrologic responses of small, closed lakes to climate variability: Comparison of measured and modeled lake level and sediment core oxygen isotope records. Steinman, B.A., Abbott, M.E., Nelson, D.B., Stansell, N.D., Finney, B.P., and Rosenmeier, M.F. *Geochimica et Cosmochimica Acta* **105**: 455–471.

Recent Physical Connections May Explain Weak Genetic Structure in Western Alaskan Chum Salmon (*Oncorhynchus keta*) Populations. Garvin, M., Kondzela, C., Martin, P., Finney, B., Guyon, J., Templin, W., Gilk-Baumer, S., DeCovich, N. and Gharrett, A. *Ecology and Evolution* **3**(7): 2362–2377; doi: 10.1002/ece3.628.

Integrating satellite observations and modern climate measurements with the recent sedimentary record: an example from Southeast Alaska. Addison, J.A., Finney, B.P., Jaeger, J.M., Stoner, J.S., Norris, R.D., and Hangsterfer, A. *Journal of Geophysical Research – Oceans* **118**: 1–18, doi:10.1002/jgrc.20243.

Response of diatoms and silicoflagellates to climate change and warming in the California Current during the past 250 years and the recent rise of the toxic diatom *Pseudo-nitzschia australis*. Barron, J.A., Bukry, D., Field, D.B. and Finney, B. *Quaternary International* **310**: 140–154.

A Stable Isotope ( $\delta^{13}\text{C}$  and  $\delta^{15}\text{N}$ ) perspective on human diet on Rapa Nui (Easter Island) ca. AD 1400 – 1900. Commendador, A.S., Dudgeon, J.V., Finney, B.P., Fuller, B.T., and Esh, K.S. *American Journal of Physical Anthropology* **152**: 173–185.

Paleoclimate History of the Arctic. Miller, G.H., Brigham-Grette, J., Alley, R.B., Anderson, L., Bauch, H.A., Douglas, M.S.V., Edwards, M.E., Elias, S., Finney, B.P., Fitzpatrick, J.J., Funder, S.V., Geirsdóttir, A., Herbert, T.D., Hinzman, L.D., Kaufman, D.S., MacDonald, G.M., Polyak, L., Robock, A., Serreze, M.C., Smol, J.P., Spielhagen, R., White, J.C., Wolfe, A.P., Wolff, E.W. In: *Encyclopedia of Quaternary Science*, 2nd edition (Elias, S., ed.). Amsterdam: Elsevier, 113–125. DOI: 10.1016/B978-0-444-53643-3.00030-3

- 2012 Productivity and sedimentary  $\delta^{15}\text{N}$  variability for the last 17,000 years along the northern Gulf of Alaska continental slope. Addison, J.A., Finney, B.P., Dean, W.E., Davies, M.H., Mix, A.C., Stoner, J.S., and Jaeger, J.M. *Paleoceanography* **27** PA1206, doi:10.1029/2011PA002161.

Early retreat of the Alaska Peninsula Glacier Complex and the implications for coastal migrations of First Americans. Misarti, N. Finney, B.P., Jordan, J.W., Maschner, H.D.G., Addison J.A., Shapley, M.D., Krumhardt, A. and Beget, J.E. *Quaternary Science Reviews* **48**: 1–6.

Holocene climate change and carbon cycling in a groundwater-fed, boreal forest lake: Dune Lake, Alaska. Finney, B.P., Bigelow, N.H., Barber, V.A. and Edwards, M.E. *Journal of Paleolimnology* **48**: 43–54.

1500-year quantitative reconstruction of winter precipitation in the Pacific Northwest. Steinman, B.A., Abbott, M.B., Mann, M.E., Stansell, N.D. and Finney, B.P. *Proceedings of the National Academy of Sciences* **109**: 11619–11623.

- 2011 Salmon-derived nutrients drive diatom beta-diversity patterns. Chen, G., Saulnier-Talbot, E., Selbie, D.T., Brown, E., Schindler, D.E., Bunting, L., Leavitt, P.R., Finney, B.P. and Gregory-Eaves, I. *Freshwater Biology* **56**: 292–301.

Drought variability in the Pacific Northwest from a 6,000-yr lake sediment record. Nelson, D.B., Abbott, M.B., Steinman, B., Polissar, P.J., Stansell, N., Ortiz, J.D.,

Rosenmeier, M.F., Finney, B. and Riedel, J. *Proceedings of the National Academy of Sciences* **108**: 3870-3875.

Lake Carbonate- $\delta^{18}\text{O}$  records from the Yukon Territory, Canada: Little Ice Age moisture variability and patterns. Anderson, L., Finney, B.P. and Shapley, M.D. *Quaternary Science Reviews* **30**: 887-898.

Climate change modulates structural and functional lake ecosystem responses to introduced anadromous salmon. Selbie D.T., Sweetman, J.N., Etherton, P., Hyatt, K.D., Rankin, D.P., Finney, B.P. and Smol, J.P. *Can. J. Fish. Aquat. Sci.* **68**: 675-692.

The deglacial transition on the Southeastern Alaska Margin: meltwater input, sealevel rise, marine productivity, and sedimentary anoxia. Davies, M.H., Mix, A.C., Stoner, J.S., Addison, J.A., Jaeger, J., Finney, B. and Wiest, J. *Paleoceanography* **26**, PA2223, doi:10.1029/2010PA002051.

Reconstructing site organization in the eastern Aleutian Islands, Alaska using multi-element chemical analysis of soils. Misarti, N., Finney, B. and Maschner, H. *Journal of Archaeological Science* **38**: 1441-1455.

A coherent signature of anthropogenic nitrogen deposition to remote watersheds of the Northern Hemisphere. Holtgrieve, G.W., Schindler, D.E., Hobbs, W.O., Leavitt, P.R., Ward, E.J., Bunting, L., Chen, G., Finney, B.P., Gregory-Eaves, I., Holmgren, S., Lisac, M.J., Lisi, P.J., Nydick, K., Rogers, L.A., Saros, J.E., Selbie, D.T., Shapley, M.D., Walsh, P.B., and Wolfe, A.P. *Science* **334**: 1545-1548.

Long-term zooplankton responses to subsidies of nutrients and consumers arising from migratory sockeye salmon (*Oncorhynchus nerka*). Chen, G., Selbie, D.T., Finney, B.P., Schindler, D.E., Bunting, L., Leavitt, P.R., and Gregory-Eaves, I. *Oikos* **120**: 1317-1326.

Paleoecological changes of a mangrove ecosystem during the Holocene along the Sibun River, Belize. Monacci, N.M., Meier-Grünhagen, U., Finney, B.P., Behling, H., and Wooller, M.J. *Quaternary Research* **76**: 220-228.

2010 Paleoecological Studies on Variability in Marine Fish Populations: A Long-Term Perspective on the Impacts of Climatic Change on Marine Fisheries. Finney, B., Alheit, J., Emeis, K-C., Field, D.B., Gutiérrez, D. and Struck U. *Journal of Marine Systems* **79**: 316-326.

Temperature and Precipitation History of the Arctic. Miller, G.H., Brigham-Grette, J., Alley, R.B., Anderson, L., Bauch, H.A., Douglas, M., Edwards, M.E., Elias, S.A., Finney, B., Fitzpatrick, J.J., Funder, S.V., Herbert, T.D., Hinzman, L., Kaufman, D., MacDonald, G.M., Polyak, L., Robock, A., Serreze, M., Smol, J., Spielhagen, R., White, J.W.C. and Wolfe, A.P. *Quaternary Science Reviews* **29**: 1679-1715.

A 40,000-year record of environmental change from Burial Lake in Northwest Alaska. Abbott, M.B., Edwards, M.E., and Finney, B.P. *Quaternary Research* **74**: 156-165.

Marine tephrochronology of the Mt. Edgecumbe Volcanic Field, Southeast Alaska, USA. Addison, J.A., Beget, J.E., Ager, T.A. and Finney, B.P. *Quaternary Research* **73**: 277-292.

Topographic controls on black carbon accumulation in Alaskan black spruce forest soils: implications for organic matter dynamics. Kane, E.S., Hockaday, W.C., Turetsky, M.R., Masiello, C.A., Valentine, D.W., Finney, B.P. and Baldock, J.A. *Biogeochemistry* **100**: 39-56.

2009 A 2000 year varve-based climate record from the central Brooks Range, Alaska. Bird, B.W., Abbott, M.B., Finney, B.P., and Kutchko, B. *Journal of Paleolimnology* **41**: 25-41.

Paleoceanography of the Gulf of Alaska during the past 15,000 years: Results from diatoms, silicoflagellates and geochemistry. Barron, J.A., Bukry, D., Dean, W.E., Addison, J.A. and Finney, B.P. *Marine Micropaleontology* **72**: 176-195.

Changes in Northeast Pacific marine ecosystems over the last 4,500 years: Evidence from stable isotope analysis of bone collagen from archaeological middens. Misarti, N., Finney, B., Maschner, H., Wooller, M. *The Holocene* **19**: 1139-1151.

Ecological, landscape, and climatic regulation of sediment geochemistry in North American sockeye salmon nursery lakes: Insights for paleoecological salmon investigations. Selbie, D.T., Finney, B.P., Barto, D., Bunting, L., Chen, G., Leavitt, P.R., MacIsaac, E.A., Schindler, D.E., Shapley, M.D. and Gregory-Eaves, I. *Limnology and Oceanography* **54**: 1733-1745.

Holocene paleoecological changes in mangrove ecosystems at Spanish Lookout Cay, Belize. Monacci, N.M., Meier-Grünhagen, U., Finney, B.P., Behling, H., Wooller, M.J. *Palaeogeography, Palaeoclimatology, Palaeoecology* **280**: 37-46.

Tracking sockeye salmon population dynamics from lake sediment cores: A review and synthesis. Gregory-Eaves, I., Selbie, D., Sweetman, J., Finney, B., and Smol, J.P. In: Challenges for Diadromous Fishes in a Dynamic Global Environment, A. Haro, K.L. Smith, R.A. Rulifson, C.M. Moffitt, R.J. Klauda, M.J. Dadswell, R.A. Cunjak, J.E. Cooper, K.L. Beal, and T.S. Avery, eds. *American Fisheries Society Symposium* **69**: 379-393.

Distribution and composition of organic matter in surface sediments of coastal Southeast Alaska. Walinsky, S.E., Prahl, F.G., Mix, A.C., Finney, B.P., Jaeger, J.M. and Rosen, G.P. *Continental Shelf Research* **29**: 1565-1579.

Long-term Perspectives on Salmon Abundance: Evidence from Lake Sediments and Tree Rings. Drake, D., Finney, B., Gregory-Eaves, I. and Naiman, R.J. In: *Pacific Salmon*

Environment and Life History Models: Advancing Science for Sustainable Salmon in the Future, E. Knudsen , H. Michael and C. Stewart, eds. *American Fisheries Society Symposium* 71: 65-75 (2009).

Historical abundance and morphology of *Didymosphenia* species in Naknek Lake, Alaska. Pite, D.P., Lane, K.A., Hermann, A.K., Spaulding, S.A. and Finney, B.P. *Acta Botanica Croat.* **68(2)** 183-197.

Diatom and stable isotope records of late-Holocene lake ontogeny at Indrepollen, Lofoten, NW Norway: A response to glacio-isostasy and Neoglacial cooling. Mills, K., Mackay, A.W., Bradley, R.S., and Finney, B. *The Holocene* **19**: 261-271.

Did the North Pacific Ecosystem Collapse in AD 1250? Maschner, H., Finney, B., Jordan, J., Misarti, N., Tews, A. and Knudsen, G. In: The Northern World AD 900 – 1400. H. Maschner, O. W. Mason and R. McGhee, eds. University of Utah Press 33-57.

An introduction to the biocomplexity of Sanak Island, Western Gulf of Alaska. Maschner, H.D.G., Betts, M.W., Cornell, J., Dunne, J.A., Finney, B., Huntley, N., Jordan, J.W., King, A.A., Misarti, N., Reedy-Maschner, K.L., Russell, R., Tews, A., Wood, S.A. and Benson, B. *Pacific Science* **63(4)**: 673-709.

Historical analysis of salmon-derived polychlorinated biphenyls (PCBs) in lake sediments. Krummel, E..M., Scheer, M., Gregory-Eaves, I., Macdonald, R.W., Kimpe, L.E., Smol, J.P., Finney, B. and Blais, J.M. *Science of the Total Environment* **407**: 1977-1989.

- 2008 Drought, vegetation change, and human history on Rapa Nui (Isla de Pascua, Easter Island). Mann, D., Edwards, J., Chase, J., Beck, W., Reanier, R., Mass, M., Finney, B. and Loret, J. *Quaternary Research* **69**: 16–28.

Multiple ecological and hydrological changes recorded in varved sediments from Sanagak Lake, Nunavut, Canada. Stewart, K.A., Lamoureux, S.F. and Finney, B.P. *Journal of Paleolimnology*, **40**: 217–233.

Effects of marine-derived nutrients on population dynamics of sockeye salmon (*Oncorhynchus nerka*). Uchiyama, T., Finney, B.P. and Adkison, M.D. Can. J. Fish. Aquat. Sci. **65**: 1635–1648.

History of a salmon population. Gharret, A.J. and Finney, B.P. In: *What Does Genetics Have to Do with It?* Alaska Sea Grant College Program, Fairbanks, AK, p. 23-33, doi:10.4027/wdghdi.2008.03

- 2007 Long-Term Population Dynamics of the Endangered Snake River Sockeye Salmon: Evidence of Past Influences on Stock Decline and Impediments to Recovery. Selbie, D.T., Lewis, B.A., Smol, J.P. and B.P. Finney. *Transactions of the American Fisheries Society* **136**: 800-821.

Tracing Salmon-derived Nutrients and Contaminants in Freshwater Food Webs Across a Pronounced Spawner Density Gradient. Gregory-Eaves, I., Demers, M.J., Kimpe, L., Krummel, E.M., Macdonald, R.W., Finney, B. and Blais, J.M. *Environmental Toxicology and Chemistry* **26** (6): 1100–1108.

Late Holocene moisture balance variability in the southwest Yukon Territory, Canada. Anderson, L., Abbott, M.B., Finney, B.P. and Burns, S.J. *Quaternary Science Reviews* **26**: 130-141.

Bottom-Up Forcing and the Decline of Steller Sea Lions in Alaska: Assessing the Ocean Climate Hypothesis. Trites, A.W., Miller, A.J., Maschner, H.D.G., Alexander, M.A., Bograd, S.J., Calder, J.A., Capotondi, A., Coyle, K.O., Di Lorenzo, E., Finney, B.P., Gregr, E.J., Grosch, C.E., Hare, S.R., Hunt, G.L., Jahncke, J., Kachel, N.B., Kim, H.J., Ladd, C., Mantua, N.J., Marzban, C., Maslowski, W., Mendelsohn, R., Neilson, D.J., Okkonen, S.R., Overland, J.E., Reedy-Maschner, K.L., Royer, T.C., Schwing, F.B., Wang J.X.L. and Winship, A.J. *Fisheries Oceanography* **16**: 46-67.

2006 Holocene Development of the Boreal Forest. Lloyd, A.H., Edwards, M.E., Finney, B.P., Lynch, J.A., Barber, V. and Bigelow, N.H. in *Alaska's Changing Boreal Forest (Long-Term Ecological Research Network Series)*(F.S. Chapin III, M.W. Oswood, K.Van Cleve, L.A. Viereck and D.L. Verbyla eds), Oxford University Press, NY, p. 62-78.

Past and Future Changes in the Alaskan Boreal Forest. Chapin, F, S, III, McGuire, D., Ruess, R., Walker, M., Boone, R., Edwards, M.E., Finney, B.P., Hinzman, L., Jones, J., Juday, G., Kasischke, E., Kielland, K., Lloyd, A., Oswood, M., Ping, C., Rexstad, E., Romanovsky, V., Schimel, J., Sparrow, E., Sveinbjornsson, B., Valentine, D., Van Cleve, K., Verbyla, D., Viereck, L., Werner, R., Wurtz, T. and Yarie, J. in *Alaska's Changing Boreal Forest (Long-Term Ecological Research Network Series)*(F.S. Chapin III, M.W. Oswood, K.Van Cleve, L.A. Viereck and D.L. Verbyla eds), Oxford University Press, NY, p. 332-338.

A northwest North American training set: distribution of freshwater midges in relation to air temperature and lake depth. Barley, E.M., Walker, I.R., Kurek, J., Cwynar, L.C., Mathewes, R.W., Gajewski, K. and Finney, B.P. *Journal of Paleolimnology* **36**: 295-314.

Late Quaternary Lake-Level Changes in North America. Shuman, B. and Finney, B. In *Encyclopedia of Quaternary Science* (S.A. Elias, ed.), Vol. 2: 1374-1383.

2005 Regional Atmospheric Circulation Change in the North Pacific during the Holocene Inferred from Lacustrine Carbonate Oxygen Isotopes, Yukon Territory, Canada. Anderson, L., Abbott, M.B., Finney, B.P. and Burns, S., *Quaternary Research* **64**: 21-35.

Effects of commercial bottom trawling on the physical environment of the southeastern Bering Sea. Brown, E.J., Finney, B., Dommisse, M. and Hills, S. *Continental Shelf Research* **25**: 1281-1301.

Effects of commercial bottom trawling to benthic communities in the southeastern Bering Sea. Brown, E.J., Finney, B., Hills, S. and Dommis, M. in *Benthic Habitats and the Effects of Fishing* (Barnes, P., Thomas, J. and Klein, T. eds), American Fisheries Society, Bethesda, MD. *American Fisheries Society Symposium* **41**: 439-460.

Concentrations and Fluxes of Salmon-Derived Polychlorinated Biphenyls (PCBs) in Lake Sediments. Krummel, E.M., Gregory-Eaves, I., Macdonald, R.W., Kimpe, L.E., Demers, M.J., Smol, J.P., Finney, B. and Blais, J.M. *Environmental Science and Technology* **39**: 7020-7026.

Paleohydrology of the Southwest Yukon Territory, Canada, based on Multi-proxy Analyses of Lake Sediment Cores from a Depth Transect. Anderson, L., Abbott, M.B., Finney, B.P. and Edwards, M.E. *The Holocene* **15**: 1-12.

Paleolimnology of the North American Subarctic. Finney, B.P., Ruhland, K., Smol, J.P. and Fallu, M.A. in *Long-Term Environmental Change in Arctic and Antarctic Lakes* (R.Pienitz, M.S.V.Douglas and J.P.Smol eds), Kluwer Academic Publishers, Dordrecht, The Netherlands, p. 269-318.

Potential Depth Biasing Using the Biosonics VBT Seabed Classification Software. Dommis, M., Urban, D., Finney, B. and Hills, S. *Marine Technology Society Journal* **39(2)**: 58 – 61.

- 2004 Reconstruction of summer temperatures in interior Alaska from tree-ring proxies: Evidence for changing synoptic climate regimes. Barber, V.A., Juday, G.P., Finney, B.P. and Wilmking M. *Climatic Change* **63**: 91-120.

Stable isotope records from Mount Logan, Eclipse ice cores and nearby Jellybean Lake. Water cycle of the North Pacific over 2000 years and over five vertical kilometers: Sudden shifts and tropical connections. Fisher, D.A., Wake, C., Kreutz, K., Yalcin, K., Steig, E., Mayewski, P., Anderson, L., Zheng, J., Rupper, S., Zdabiwicz, C., Demuth, M., Waszkiewicz, M., Dahl-Jensen, D., Goto-Azuma, K., Bourgeois, J.B., Koerner, R.M., Sekerka, J., Osterberg, E., Abbott, M.B., Finney, B.P. and Burns, S.J. *Géographie physique et Quaternaire* **58 (2-3)**: 337-352.

A 13,000 year history of vegetation and environmental change at Jan Lake, east-central Alaska. Carlson, L.J. and Finney, B.P. *The Holocene* **14**: 818-827.

Inferring sockeye salmon (*Oncorhynchus nerka*) population dynamics and water-quality changes in a stained nursery lake over the past ~500 years. Gregory-Eaves, I., Finney, B.P., Douglas, M.S.V. and Smol, J.P. *Canadian Journal of Fisheries and Aquatic Sciences* **61**: 1235-1246.

The influence of flushing rates, terrestrial input and low salmon escapement densities on paleolimnological reconstructions of sockeye salmon (*Oncorhynchus nerka*) nutrient dynamics in Alaska and British Columbia. Holtham, A.J., Gregory-Eaves, I., Pellatt, M., Selbie, D.T., Stewart, L., Finney, B.P. and Smol, J.P. *Journal of Paleolimnology* **32**: 255-271.

2003 Delivery of pollutants by spawning salmon. Krummel, E., Macdonald, R., Kimpe, L., Gregory-Eaves, I., Demers, M.J., Smol, J.P., Finney, B. and Blais, J.M. *Nature* **425**: 255-256.

The long-term outlook for salmon in Alaska. Adkison, M.D. and Finney, B.P. *Alaska Fishery Research Bulletin* **10**: 83-94.

A ~33,000 year record of environmental change from Arolik Lake, Ahklun Mountains, Alaska. Kaufman, D.S., Hu, F.S., Briner, J.P., Werner, A., Finney, B.P. and Gregory-Eaves, I. *Journal of Paleolimnology* **30**: 343-362.

Diatoms and sockeye salmon (*Oncorhynchus nerka*) population dynamics: Reconstructions of salmon-derived nutrients over the past 2,200 years in two lakes from Kodiak Island, Alaska. Gregory-Eaves, I., Smol, J.P., Douglas, M.S.V. and Finney, B.P., *Journal of Paleolimnology* **30**: 35-53.

Differential responses of *Bosmina longirostris* populations to fish predation and nutrient-loading in an introduced and a natural sockeye salmon nursery lake on Kodiak Island, Alaska. Sweetman, J.N. and Finney, B.P. *Journal of Paleolimnology* **30**: 183-193.

2002 Fisheries productivity in the northeastern Pacific Ocean over the past 2,200 years. Finney, B.P., Gregory-Eaves, I., Douglas, M.S.V. and Smol, J.P. *Nature* **416**: 729-733.

The Northeast Pacific GLOBEC Program: Coastal Gulf of Alaska. Weingartner, T.J., Coyle, K., Finney, B., Hopcroft, R., Whittlestone, T., Brodeur, R., Dagg, M., Farley, E., Haidvogel, D., Haldorson, L., Hermann, A., Hinckley, S., Napp, J., Stabeno, P., Kline, T., Lee, C., Lessard, E., Royer, T., and Strom, S. *Oceanography* **15**: 48-63.

Stable isotope analysis of Pacific salmon: Insights into trophic status and oceanographic conditions over the last 30 years. Satterfield, F.R. IV and Finney, B.P. *Progress in Oceanography* **53**: 231-246.

Geographic and temporal variations in fire history in boreal ecosystems of Alaska. Lynch, J.A., Clark, J.S., Bigelow, N.H., Edwards, M.E. and Finney, B. *Journal of Geophysical Research Atmospheres* **108**: 1-17.

Holocene history of the great Kobuk sand dunes, northwestern Alaska. Mann, D.H., Heiser, P.A. and Finney, B.P. *Quaternary Science Reviews* **21**: 709-731.

2001 Modern climate analogues of paleoclimatic variations in eastern interior Alaska during the past 14,000 years: Atmospheric-circulation controls of regional temperature and moisture responses. Edwards, M.E., Mock, C., Finney, B., Barber, V. and Bartlein, P. *Quaternary Science Reviews* **20**: 189-202.

Holocene paleoclimate from oxygen isotope ratios in lake sediments, central Brooks Range, Alaska. Anderson, L., Abbott, M.B. and Finney, B.P. *Quaternary Research* **55**: 313-321.

Effects of Holocene *Alnus* expansion on aquatic productivity, nitrogen cycling, and soil development in southwestern Alaska. Hu, F.S., Finney, B.P., and Brubaker, L.B. *Ecosystems* **4**: 358-368.

Temporal records of  $\delta^{13}\text{C}$  and  $\delta^{15}\text{N}$  in North Pacific pinnipeds: Inferences regarding environmental change and diet. Hirons, A.C., Schell, D.M. and Finney, B.P. *Oecologia* **129**: 591-601.

Analysis of contemporary genetic structure of even-broodyear populations of Asian and western Alaskan pink salmon, *Oncorhynchus gorbuscha*. Noll, C., Varnavskaya, N.V., Matzak, E.A., Hawkins, S.L., Midanaya, V.V., Katugin, O.N., Russell, C., Kinias, N.M., Guthrie, C.M. III, Mayama, H., Yamazaki, F., Finney, B.P. and Gharrett, A.J. *Fish. Bull.* **99**: 123-138.

- 2000 Impacts of Climatic Change and Fishing on Pacific Salmon Abundance Over the Past 300 Years. Finney, B.P., Gregory-Eaves, I., Sweetman, J., Douglas, M.S.V. and Smol, J. *Science* **290**: 795-799.

Lake-level reconstructions and paleohydrology of Birch Lake, central Alaska, based on seismic reflection profiles and core transects. Abbott, M.B., Finney, B.P., Edwards, M.E., and Kelts, K.R. *Quaternary Research* **53**: 154-166.

Late Quaternary paleoclimatic reconstructions for interior Alaska based on paleolake-level data and hydrologic models. Barber, V.A. and Finney, B.P. *Journal of Paleolimnology* **24**: 29-41.

Reduced growth in Alaskan white spruce from 20<sup>th</sup> century temperature-induced drought stress. Barber, V.A., Juday, G.P. and Finney, B.P. *Nature* **405**: 668-673.

Characteristics and variation in lakes along a north-south gradient in Alaska. Gregory-Eaves, I., Smol, J.P., Finney, B.P., Lean, D.R.S. and Edwards, M.E. *Archiv fur Hydrobiologie* **147**: 193-223.

Holocene lake sediment records of Arctic hydrology. MacDonald, G.M., Felzer, B., Finney, B.P., and Forman, S.L. *Journal of Paleolimnology* **24**: 1-14.

Records of aquatic pollen and sediment properties as indicators of late-Quaternary Alaskan lake levels. Edwards, M., Bigelow, N., Finney, B. and Eisner, W.R. *Journal of Paleolimnology* **24**: 55-68.

Organic carbon isotope ratios ( $\delta^{13}\text{C}$ ) of Arctic Amerasian continental shelf sediments. Naidu, A.S., Cooper, L.W., Finney, B.P., Macdonald, R.W., Alexander, C., and Semitelov, I.P. *Intern. Journ. Earth Sci.* **89**: 522-532.

- 1999 Diatom-based transfer functions for inferring past climatic and environmental changes in Alaska, U.S.A. Gregory-Eaves, I., Smol, J.P., Finney, B.P., and Edwards, M.E. *Arctic Antarctic and Alpine Research* **31**: 353-365.

$^{210}\text{Pb}$  and  $^{137}\text{Cs}$ -based sediment accumulation rates in inner shelves and coastal lakes of subarctic and Arctic Alaska: A synthesis. Naidu, A.S., Finney, B.P. and Baskaran, M. *GeoResearch Forum* **5**: 185-196.

Paleoenvironmental atlas of Beringia: A regional data synthesis presented in an electronic form. Duvall, M., Anderson, P., Bartlein, P., Brubaker, L., Edwards, M., Finney, B. and others. *Quaternary Research* **52**: 270-271.

- 1998 Long-term variability in Alaskan sockeye salmon abundance determined by analysis of sediment cores. Finney, B.P. *North Pacific Anadromous Fish Commission Bulletin* **1**: 388-395.

Holocene geologic and climatic history around the Gulf of Alaska. Mann, D.H., Crowell, A.L., Hamilton, T.D. and Finney, B.P. *Arctic Anthropology* **35**: 112-131.

Influence of carcass-derived nutrients on sockeye salmon productivity of Karluk Lake, Alaska: Importance in the assessment of an escapement goal. Schmidt, D. Carlson, S., Kyle, G. and Finney, B. *North American Journal of Fisheries Management* **18**: 743-763.

- 1997 Arctic Environmental Change of the Last Four Centuries. Overpeck, J., Hughen, K., Hardy, D., Bradley, R., Case, R., Douglas, M., Finney, B., Gajewski, K., Jacoby, G., Jennings, A., Lamoureux, S., MacDonald, G., Moore, J., Retelle, M., Smith, S., Wolfe, A. and Zielinski, G. *Science* **278**: 1251-1256.

Alaska's sockeye salmon management: can we learn from success? Schmidt, D.C., Kyle, G.B., Carlson, S.R., Geiger, H.J., and Finney, B.P. In: "Developing and Sustaining World Fisheries Resources: The State of Science and Management, 2<sup>nd</sup> World Fisheries Congress Proceedings". (D.A. Hancock, D.C. Smith, A. Grant and J.P. Beumer, eds.), CSIRO, Collingwood, VIC, Australia, pp. 687-695.

- 1996 Late Quaternary Lake-level Changes of Lake Malawi. Finney, B.P., Scholz, C.A., Johnson, T.C. and Trumbore, S. In: "The Limnology, Climatology and Paleoclimatology of the East African Lakes" (T.C. Johnson and E.O. Odada, eds), Gordon and Breach, Amsterdam, pp. 495-508.

Character, paleoenvironment, rate of accumulation and evidence for seismic triggering of Holocene turbidites, Canada Abyssal Plain, Arctic Ocean. Grantz, A., Phillips, R., Mullen, M., Starratt, S., Naidu, S. and Finney, B. *Marine Geology* **133**: 51-73.

- 1994 Late Quaternary sequence stratigraphy of Lake Malawi (Nyasa), Africa. Scholz, C.A. and Finney, B.P. *Sedimentology* **41**: 163-179.

New AMS dates, stratigraphic correlations and decadal climatic cycles for the past 4 ka at Lake Turkana, Kenya. Halfman, J.D. Johnson, T.C. and Finney, B.P. *Palaeogeography, Palaeoclimatology, Palaeoecology* **111**: 83-98.

Research Protocols for PALE (Paleoclimates of Arctic Lakes and Estuaries). PALE (two chapters co-authored in this publication). PAGES Workshop Report, Series **94-1**, Bern, Switzerland, 53 p.

- 1992 Anthropogenic inputs of several heavy metals to nearshore basins off Los Angeles. Huh, C.A., Finney, B.P., and Stull, J. *Progress in Oceanography* **30**: 335-351.
- Fossil diatoms and the mid to late Holocene paleolimnology of Lake Turkana, Kenya: A reconnaissance study. Halfman, J.D., Finney, B.P., Jacobson, D.F., Cannella, C.M., and Haberyan, K.A. *Journal of Paleolimnology* **7**: 23-35.
- 1991 Sedimentation in Lake Malawi (East Africa) during the past 10,000 years: A continuous paleoclimatic record from the southern tropics. Finney, B.P. and Johnson, T.C. *Palaeogeography, Palaeoclimatology, Palaeoecology*, **85**: 351-366.
- 1990 Sedimentation dynamics in the Santa Monica-San Pedro Basin off Los Angeles: Radiochemical, sediment trap, and transmissometer observations. Huh, C.A., Small, L.F., Niemnil, S., Finney, B.P., Hickey, B.M., Katchel, N.B., Gorsline, D.S. and Williams, P.M. *Continental Shelf Research*, **10**: 137-164.
- 1989 History of metal pollution in the Southern California Bight: an update. Finney, B.P. and Huh, C.A. *Environmental Science and Technology*, **23**: 294-303.
- High resolution sedimentary records of heavy metals from the Santa Monica and San Pedro Basins, California. Finney, B. and Huh, C.A. *Marine Pollution Bul.*, **20**: 181-187.
- Elemental cycling and fluxes off southern California. Jackson, G.A., Azam, F., Carlucci, A.F., Eppley, R.W., Williams, P.M., Finney, B., Huh, C.A., Small, L.F., Gorsline, D.S., Hickey, B., Jahnke, R.A., Kaplan, I.R., Venkatesan, M.I., Landry, M.R. and Wong, K.M. *EOS*, **70**: 146-155.
- 1988 The record of late Pleistocene biogenic sedimentation in the eastern tropical Pacific ocean. Lyle, M., Murray, D.W., Finney, B.P., Dymond, J., Robbins, J.M. and Brooksforce, K. *Paleoceanography*, **3**: 39-59.
- Sedimentation at MANOP Site H (eastern equatorial Pacific) over the past 400 kyr - Climatically induced redox variations and their effects on transition metal cycling. Finney, B.P., Lyle, M.W. and Heath, G.R. *Paleoceanography*, **3**: 169-189.
- 1986 Paleoclimatic influence on sedimentation and manganese nodule growth during the past 400,000 years at MANOP Site H (eastern equatorial Pacific). Finney, B.P. Ph.D. Thesis, Oregon State University, Corvallis, 195pp.
- Growth rates of manganese-rich nodules at MANOP Site H (eastern north Pacific). Finney, B., Heath, G.R. and Lyle, M. *Geochim. Cosmochim. Acta*, **48**: 911-919.
- Ferromanganese nodules from MANOP Sites H, S and R - Control of mineralogical and chemical composition by multiple accretionary processes. Dymond, J., Lyle, M., Finney, B., Piper, D.Z., Murphy, K., Conard, R. and Pisias, N. *Geochim. Cosmochim. Acta*, **48**: 931-949.